

Product specification

Turbo Hook 180 / 220 mm

General

Cat. Number	511pk / 512pk
Sub-category	Hooks
Yield Type	Cucumber/Tomato
Description	Metal Hook TURBO-system for trellising plants. The Turbo Hook is a quality metal hook including a free-fall release system, that can be released extremely fast, in one-movement!
Twine Color	Black / White / Color
Twine Type	1000 / 1200 / 1500 PP, also available bio twine

Material:

Metal part	Galvanized Steel
Twine	Polypropylene + Anti-UV Additive or Biodegradable twine

Technical Specifications

Parameter	Value	Unit
Metal Hook size	180 / 220	mm
Wire diameter	3	mm
Metal part weight	21 / 23.8	Gr
Suitable for trellising wire diameter	2-4	mm
Carrying force	Up to 8 Kg static load	Kg
Twine length	Depends on twine type and hook size	
Hook Weight	Depends on twine type and length	

Durability

Metal Part
Twine*

Multi-seasonal

suitable for 1 season (up to 1 year) on the condition the twine is released and the plant is lowered at least 4 times during the season.

*Not including bio twine

Storage

In a cool, dry place

- away from heat
- away from direct sunlight
- storage temperature should not exceed 60°C

Packaging


Units per box: depends on twine type/length and hook size

Box weight: approx. 10-25 Kg.

Box Size (L x W x H cm): 60 x 25 x 26.5 / 50 x 30 x 26.5

**Installation temp.
range (°C)**

N/A



Product specification

Metal Pro-Hook for heavy weight 220 mm TURBO system

General

Cat. Number	Pro512pk
Sub-category	Hooks
Yield Type	Heavy tomato
Description	Professional Metal Hook for heavy weight TURBO-system for trellising plants. The Turbo Hook is a quality metal hook including a free-fall release system, that can be released extremely fast, in one-movement!
Twine Color	Black / White / Color
Twine Type	1000 / 1200 / 1500 PP, also available bio twine

Material:

Metal part	Galvanized Steel
Twine	Polypropylene + Anti-UV Additive or Biodegradable twine

Technical Specifications

Parameter	Value	Unit
Metal Hook size	220	mm
Wire diameter	3	mm
Metal part weight	25.3	Gr
Suitable for trellising wire diameter	2-4	mm
Carrying force	Up to 11 Kg static load* * about 30% over the regular hook 220 mm	Kg
Twine length	Depends on twine type and hook size	
Hook Weight	Depends on twine type and length	Gr

Durability

Metal Part
Twine*

Multi-seasonal

suitable for 1 season (up to 1 year) on the condition the twine is released and the plant is lowered at least 4 times during the season.

*Not including bio twine

Storage

In a cool, dry place

- away from heat
- away from direct sunlight
- storage temperature should not exceed 60°C

Packaging

Units per box: depends on twine type/length and hook size

Box weight: approx. 10-25 Kg.

Box Size (L x W x H cm): 50 x 30 x 26.5

**Installation temp.
range (°C)**

N/A